

Jiangsu China



JIANGYIN CITY HUANGTU CASTER FACTORY



万向轮
CASTER

简介

江阴市璜土万向轮厂是生产“申牌”万向轮的专业化工厂。生产的“申牌”万向轮共有6个系列、285个品种，广泛应用于纺织棉条桶、餐车、医用车、流动售货车、平板车及各种短途运输工具车轮。

本厂经过多次技术改造，实行科学管理，不断改进工艺、更新设备，壮大技术力量，并拥有完善的检测手段和质量保证体系，在全国30多家重点企业中使用和众多专家、技术人员的评定，一致认为“申牌”万向轮具有设计先进，结构合理，经久耐用，质量优异的特点，从而赢得了广大用户的信赖。我厂从一九九三年产品进入国际市场以来，深受国外用户的亲睐，已被韩国、香港、新加坡、叙利亚等国家和地区广泛采用。

本厂奉行“质量第一、信誉第一、用户第一”的经营宗旨，灵活机动的经营方式，热忱欢迎国内外新老用户来人来函洽谈业务。

电话：0510-6651617

传真：0510-6656653

厂长：杨建平

INTRODUCTION

JingYin HuangTu Universal Caster Factory is a chemical factory which is specialized in producing "SHEN" universal caster. It can be widely used for sliver cans, dining car, medical car, vending car, flatbed tricycle and all kinds of conveyance for short-distance transport.

The factory owns strong technical personnel and scientific management, it can produce 6 series (285 kinds) of universal caster. It has perfect test measures and quality system to ensure producing high quality products and gain good reputation in marketing for its advanced design, reasonable structure and durability.

The products have been in foreign customers good graces since entered into international market in 1993 and export to Korea, Hongkong, Singapore and Stria, ect.

The manage purpose of the factory is Quality First, Reputation First and Customer First and welcome customers all over the world to hold trade talks.

Tel: 0510-6651617 Fax: 0510-6656653

Director: Yang jianpin

产品质量合格证书

塑料成型证(1997)第 006 号

江阴市璜土万向轮厂:

你厂生产的 (申) 牌 万向轮

产品,

经监督抽样检验, 符合 GB/T1006 2-92

标准要求, 特发此证。

江阴市技术监督局

一九九七年七月

省城: 0510

全面质量管理
达标企业

中华人民共和国农业部

一九九六年

AAA級資信企業


江蘇國際諮詢評估公司

申牌万向轮是一流产品的理想选择!

SHEN BRAND CASTER ARE THE FIRST
RATE QUALITY AND ARE THE FIRST CHOICE FOR YOU!



型号编排说明: ILLUSTRATION OF ARRANGE FOR TYPE





平板轴承万向轮 PLATE BEARING CASTER

	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	平板尺寸 Dimension of top-plate (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packing case (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)
尼龙轮 NYLON WHEEL	PON3C 2"	60	72	26	70 × 58	55 × 42	7	460 × 250 × 230	60	19
	PON3C 2.5"	75	84	28						20
	PON3C 3.5"	100	115	32	92 × 64	75 × 45	8.5		30	24
	PON3C 4"	125	132	40					20	17.70
	PON3C 5"	150	153						15	15.70
橡塑轮 POLUTHENE WHEEL	POS3C 2"	55	72	26	70 × 58	55 × 42	7		60	19
	POS3C 2.5"	70	85	28						20
	POS3C 3.5"	90	115	32	92 × 64	75 × 45	8.5		30	24
	POS3C 4"	115	132	40					20	17.70
	POS3C 5"	135	153						15	15.70
聚氯乙烯轮 PVC WHEEL	POL3C 2"	50	72	26	70 × 58	55 × 42	7		60	19
	POL3C 2.5"	65	85	28						20
	POL3C 3.5"	85	115	32	92 × 64	75 × 45	8.5		30	24
	POL3C 4"	105	132	40					20	17.70
	POL3C 5"	130	153						15	15.70
聚氨酯轮 POLYURETHANE WHEEL	POZ3C 2"	65	72	26	70 × 58	55 × 42	7		60	19
	POZ3C 2.5"	80	85	28						20
	POZ3C 3.5"	110	115	32					30	24
	POZ3C 4"	140	132	40					20	17.70
	POZ3C 5"	165	153						15	15.70
铸铁轮 CAST IRON WHEEL	POT3C 3.5"	120	115	32	92 × 64	75 × 45	8.5		30	38.20
	POT3C 4"	150	132	40					20	29.30
	POT3C5"	180	153						15	27.00



平板轴套万向轮 PLATE BUSH CASTER

尼龙轮 NYLON WHEEL	PON 2B 2"	50	72	26	70 × 58	55 × 42	7	460 × 250 × 230	60	18
	PON2B 2.5"	65	84	28						19
	PON2B 3.5"	85	115	32	92 × 64	75 × 45	8.5		30	23.20
	PON2B 4"	105	132	40					20	17.20
	PON2B 5"	130	153						15	15.30
橡塑轮 POLUTHENE WHEEL	POS2B 2"	45	72	26	70 × 58	55 × 42	7		60	18
	POS2B2.5"	55	85	28						19
	POS2B 3.5"	75	115	32	92 × 64	75 × 45	8.5		30	23.20
	POS2B 4"	90	132	40					20	17.20
	POS2B 5"	110	153						15	15.30
聚氯乙烯轮 PVC WHEEL	POL2B 2"	40	72	26	70 × 58	55 × 42	7		60	18
	POL2B 2.5"	50	85	28						19
	POL2B 3.5"	65	115	32	92 × 64	75 × 45	8.5		30	23.20
	POL2B 4"	85	132	40					20	17.20
	POL2B 5"	100	153						15	15.30
聚氨酯轮 POLYURETHANE WHEEL	POZ2B2"	50	72	26	70 × 58	55 × 42	7		60	18
	POZ2B 2.5"	65	85	28						19
	POZ2B 3.5"	85	115	32					30	23.20
	POZ2B4"	105	132	40					20	17.20
	POZ2B 5"	130	153						15	15.30
铸铁轮 CAST IRON WHEEL	POT2B3.5"	95	115	32	92 × 64	75 × 45	8.5		30	37.40
	POT2B 4"	120	132	40					20	28.80
	POT2B5"	145	153						15	26.50



螺杆轴承万向轮 BOLT BEARING CASTER

	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	杆 径 Stem diameter (mm)	杆 长 Stem length (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)
尼龙轮 NYLON WHEEL	LON3C 2"	55	79	26	10	20		60	18.50
	LON3C 2.5"	70	92	28		19.50			
	LON3C 3.5"	95	118	32	22	30		21.00	
	LON3C 4"	115	135	40		20		16.00	
	LON3C 5"	140	156		16	25		15	14.70
橡塑轮 POLUTHENE WHEEL	LOS3C 2"	50	79	26	10	17	460 × 250 × 230	60	18.50
	LOS3C 2.5"	65	92	28		20			19.50
	LOS3C 3.5"	85	118	32	22	30		21.00	
	LOS3C 4"	105	135	40		20		16.00	
	LOS3C 5"	125	156		16	25		15	14.70
聚氯乙烯轮 PVC WHEEL	LOL3C 2"	45	79	26	10	20	460 × 250 × 230	60	18.50
	LOL3C 2.5"	60	92	28					19.50
	LOL3C 3.5"	80	118	32	22	30		21.00	
	LOL3C 4"	100	135	40		20		16.00	
	LOL3C 5"	120	156		16	25		15	14.70
聚氨酯轮 POLYURETHANE WHEEL	LOZ3C 2"	60	79	26	10	20		60	18.50
	LOZ3C 2.5"	75	92	28					19.50
	LOZ3C 3.5"	105	118	32	22	30		21.00	
	LOZ3C 4"	125	135	40		20		16.00	
	LOZ3C 5"	155	156		16	25		15	14.70
铸铁轮 CAST IRON WHEEL	LOT3 .5"	115	118	32	12	22		30	35.20
	LOT3C 4"	140	135	40	14			20	27.60
	LOT3C5"	170	156		16	25		15	26.00



螺杆轴套万向轮 BOLT BUSH CASTER

	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	杆 径 Stem diameter (mm)	杆 长 Stem length (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)
尼龙轮 NYLON WHEEL	LON2B 2"	50	79	26	10	20	460 × 250 × 230	60	17.50
	LON2B 2.5"	60	92	28					18.50
	LON2B 3.5"	80	118	32	12	22		30	20.20
	LON2B 4"	100	135	40	14			20	15.50
	LON2B 5"	120	156		16	25		15	14.30
橡塑轮 POLUTHENE WHEEL	LOS2B 2"	45	79	26	10	20	460 × 250 × 230	60	17.50
	LOS2B 2.5"	55	92	28					18.50
	LOS2B 3.5"	70	118	32	12	22		30	20.20
	LOS2B 4"	90	135	40	14			20	15.50
	LOS2B 5"	110	156		16	25		15	14.30
聚氯乙烯轮 PVC WHEEL	LOL2B2"	40	79	26	10	20	460 × 250 × 230	60	17.50
	LOL2B2.5"	50	92	28					18.50
	LOL2B3.5"	70	118	32	12	22		30	20.20
	LOL2B 4"	85	135	40	14			20	15.50
	LOL2B 5"	100	156		16	25		15	14.30
聚氨脂轮 POLYURETHANE WHEEL	LOZ2B 2"	55	79	26	10	20	460 × 250 × 230	60	17.50
	LOZ2B 2.5"	65	92	28					18.50
	LOZ2B 3.5"	90	118	32	12	22		30	20.20
	LOZ2B 4"	110	135	40	14			20	15.50
	LOZ2B 5"	130	156		16	25		15	14.30
铸铁轮 CAST IRON WHEEL	LOT2B3.5"	95	118	32	12	22	460 × 250 × 230	30	34.40
	LOT2B 4"	120	135	40	14			20	27.00
	LOT2B5"	145	156		16	25		15	25.50



螺杆轻载万向轮 BOLT LIGHT LOAD CASTER

	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	杆 径 Stem diameter (mm)	杆 长 Stem length (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)
尼龙轮 NYLON WHEEL	LON2A2"	40	79	26	10	20	460 × 250 × 230	60	15.70
	LON2A 2.5"	50	92	28					15.80
	LON2A 3.5"	70	118	32	12	22		30	17.20
	LON2A 4"	85	135		14			20	13.00
	LON2A 5"	100	156	40	16	25		15	11.40
橡塑轮 POLUTHENE WHEEL	LOS2A 2"	35	79	26	10	20		60	15.70
	LOS2A2.5"	45	92	28					15.80
	LOS2A 3.5"	65	118	32	12	22		30	17.20
	LOS2A 4"	75	135		14			20	13.00
	LOS2A 5"	90	156	40	16	25		15	11.40
聚氯乙烯轮 PVC WHEEL	LOL2A2"	35	79	26	10	20		60	15.70
	LOL2A 2.5"	40	92	28					15.80
	LOL2A 3.5"	60	118	32	12	22		30	17.20
	LOL2A 4"	70	135		14			20	13.00
	LOL2A 5"	85	156	40	16	25		15	11.40
聚氨酯轮 POLYURETHANE WHEEL	LOZ2A 2"	45	79	26	10	20	460 × 250 × 230	60	15.70
	LOZ2A 2.5"	55	92	28					15.80
	LOZ2A 3.5"	75	118	32	12	22		30	17.20
	LOZ2A 4"	95	135		14			20	13.00
	LOZ2A5"	110	156	40	16	25		15	11.40
铸铁轮 CAST IRON WHEEL	LOT2A 3.5"	85	118	32	12	22		30	28.50
	LOT2A 4"	100	135		14			20	22.20
	LOT2A5"	120	156	40	16	25		15	20.30



平板轴承定向轮 PLATE BEARING DIRECTIONAL WHEEL

	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	平板尺寸 Dimension oftop-plate (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)
尼龙轮 NYLON WHEEL	P _d ON3C2"	85	72	70 × 43	42 × 22	7	460 × 250 × 230	60	15.00
	P _d ON3C 2.5"	100	84	86 × 53	71 × 38				16.00
	P _d ON3C 3.5"	150	115	92 × 64	75 × 45			30	17.20
	P _d ON3C 4"	175	132	120 × 68	90 × 36	8.5		20	14.30
	P _d ON3C 5"	200	153	135 × 70	105 × 40			15	13.30
橡塑轮 POLUTHENE WHEEL	P _d OS3C 2"	75	72	70 × 43	42 × 22	7		60	15.00
	P _d OS3C2.5"	90	85	86 × 53	71 × 38				16.00
	P _d OS3C 3.5"	135	115	92 × 64	75 × 45			30	17.20
	P _d OS3C 4"	160	132	120 × 68	90 × 36	8.5		20	14.30
	P _d OS3C 5"	180	153	135 × 70	105 × 40			15	13.30
聚氯乙烯轮 PVC WHEEL	P _d OL3C2"	70	72	70 × 43	42 × 22	7	460 × 250 × 230	60	15.00
	P _d OL3C 2.5"	85	85	86 × 53	71 × 38				16.00
	P _d OL3C 3.5"	130	115	92 × 64	75 × 45			30	17.20
	P _d OL3C 4"	150	132	120 × 68	90 × 36	8.5		20	14.30
	P _d OL3C 5"	170	153	135 × 70	105 × 40			15	13.30
聚氨酯轮 POLYURETHANE WHEEL	P _d OZ3C 2"	95	72	70 × 43	42 × 22	7		60	15.00
	P _d OZ3C 2.5"	110	85	86 × 53	71 × 38				16.00
	P _d OZ3C 3.5"	165	115	92 × 64	75 × 45			30	17.20
	P _d OZ3C 4"	195	132	120 × 68	90 × 36	8.5		20	14.30
	P _d OZ3C5"	220	153	135 × 70	105 × 40			15	13.30
铸铁轮 CAST IRON WHEEL	P _d OT3C 3.5"	180	115	92 × 64	75 × 45			30	31.40
	P _d OT3C 4"	210	132	120 × 68	90 × 36	8.5		20	26.00
	P _d OT3C5"	240	153	135 × 70	105 × 40			15	24.50



平板轴套定向轮 PLATE BUSH DIRECTIONAL WHEEL

	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	平板尺寸 Dimension oftop-plate (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)		
尼龙轮 NYLON WHEEL	P _d ON2B2"	70	72	70 × 43	42 × 22	7	460 × 250 × 230	60	14.00		
	P _d ON2B 2.5"	85	85	86 × 53	71 × 38				15.00		
	P _d ON2B3.5"	125	115	92 × 64	75 × 45	8.5		30	16.40		
	P _d ON2B 4"	150	132	120 × 68	90 × 36			20	13.80		
	P _d ON2B 5"	170	153	135 × 70	105 × 40			15	13.00		
橡塑轮 POLUTHENE WHEEL	P _d OS2B 2"	65	72	70 × 43	42 × 22	7		460 × 250 × 230	60	14.00	
	P _d OS2B2.5"	75	85	86 × 53	71 × 38					15.00	
	P _d OS2B 3.5"	115	115	92 × 64	75 × 45	8.5			30	16.40	
	P _d OS2B 4"	135	132	120 × 68	90 × 36				20	13.80	
	P _d OS2B 5"	155	153	135 × 70	105 × 40				15	13.00	
聚氯乙烯轮 PVC WHEEL	P _d OL2B2"	60	72	70 × 43	42 × 22	7	460 × 250 × 230		60	14.00	
	P _d OL2B 2.5"	70	85	86 × 53	71 × 38					15.00	
	P _d OL2B3.5"	105	115	92 × 64	75 × 45	8.5			30	16.40	
	P _d OL2B 4"	130	132	120 × 68	90 × 36				20	13.80	
	P _d OL2B5"	145	153	135 × 70	105 × 40				15	13.00	
聚氨酯轮 POLYURETHANE WHEEL	P _d OZ2B 2"	80	72	70 × 43	42 × 22	7		460 × 250 × 230	60	14.00	
	P _d OZ2B2.5"	95	85	86 × 53	71 × 38					15.00	
	P _d OZ2B3.5"	140	115	92 × 64	75 × 45	8.5			30	16.40	
	P _d OZ2B 4"	165	132	120 × 68	90 × 36				20	13.80	
	P _d OZ2B5"	185	153	135 × 70	105 × 40				15	13.00	
铸铁轮 CAST IRON WHEEL	P _d OT2B 3.5"	150	115	92 × 64	75 × 45	8.5	460 × 250 × 230		30	30.60	
	P _d OT2B 4"	180	132	120 × 68	90 × 36					20	25.40
	P _d OT2B5"	205	153	135 × 70	105 × 40					15	24.20



平板轻载定向轮 PLATE LOAD DIRECTIONAL WHEEL

	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	平板尺寸 Dimension oftop-plate (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)		
尼龙轮 NYLON WHEEL	P _d ON1A 2"	60	72	70 × 43	42 × 22	7	460 × 250 × 230	60	12.20		
	P _d ON1A 2.5"	75	85	86 × 53	71 × 38			12.50			
	P _d ON1A 3.5"	100	115	98 × 69	75 × 45	8.5		30	14.20		
	P _d ON1A 4"	125	132	120 × 68	90 × 36			20	11.80		
	P _d ON1A 5"	150	153	135 × 70	105 × 40			15	10.40		
橡塑轮 POLUTHENE WHEEL	P _d OS1A 2"	55	72	70 × 43	42 × 22	7		460 × 250 × 230	60	12.20	
	P _d OS1A 2.5"	70	85	86 × 53	71 × 38				12.50		
	P _d OS1A 3.5"	90	115	98 × 69	75 × 45	8.5			30	14.20	
	P _d OS1A 4"	115	132	120 × 68	90 × 36				20	11.80	
	P _d OS1A 5"	135	153	135 × 70	105 × 40				15	10.40	
聚氯乙烯轮 PVC WHEEL	P _d OL1A 2"	50	72	70 × 43	42 × 22	7	460 × 250 × 230		60	12.20	
	P _d OL1A 2.5"	65	85	86 × 53	71 × 38				12.50		
	P _d OL1A 3.5"	85	115	98 × 69	75 × 45	8.5			30	14.20	
	P _d OL1A 4"	105	132	120 × 68	90 × 36				20	11.80	
聚氨酯轮 POLYURETHANE WHEEL	P _d OL1A 5"	130	153	135 × 70	105 × 40	8.5			460 × 250 × 230	15	10.40
	P _d OZ1A 2"	65	72	70 × 43	42 × 22			7		60	12.20
	P _d OZ1A 2.5"	80	85	86 × 53	71 × 38					12.50	
	P _d OZ1A 3.5"	110	115	98 × 69	75 × 45			8.5		30	14.20
	P _d OZ1A 4"	140	132	120 × 68	90 × 36					20	11.80
P _d OZ1A 5"	165	153	135 × 70	105 × 40	15					10.40	
铸铁轮 CAST IRON WHEEL	P _d OT1A 3.5"	120	115	98 × 69	75 × 45	8.5	460 × 250 × 230	30		25.50	
	P _d OT1A 4"	150	132	120 × 68	90 × 36			20		21.00	
	P _d OT1A 5"	180	153	135 × 70	105 × 40			15		19.30	

平板轴承双制动万向轮

PLATE BEARING DOUBLE BRAKES CASTER



尼龙轮 NYLON WHEEL	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	平板尺寸 Dimension of top-plate (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packing case (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)
	P2N3C 2"	60	72	26	70 × 58	55 × 42	7	460 × 250 × 230	60	22.20
	P2N3C 2.5"	75	85	28						24.00
	P2N3C 3.5"	100	115	32	92 × 64	75 × 45	8.5		30	26.50
	P2N3C 4"	125	132	40					20	19.70
	P2N3C 5"	150	153						15	17.40
橡塑轮 POLUTHENE WHEEL	P2S3C 2"	55	72	26	70 × 58	55 × 42	7		460 × 250 × 230	60
	P2S3C 2.5"	70	85	28				24.00		
	P2S3C 3.5"	90	115	32	92 × 64	75 × 45	8.5	30		26.50
	P2S3C 4"	115	132	40				20		19.70
	P2S3C 5"	135	153					15		17.40
聚氯乙烯轮 PVC WHEEL	P2L3C 2"	50	72	26	70 × 58	55 × 42	7	460 × 250 × 230		60
	P2L3C 2.5"	65	85	28					24.00	
	P2L3C 3.5"	85	115	32	92 × 64	75 × 45	8.5		30	26.50
	P2L3C 4"	105	132	40					20	19.70
	P2L3C 5"	130	153						15	17.40
聚氨酯轮 POLYURETHANE WHEEL	P2Z3C 2"	65	72	26	70 × 58	55 × 42	7		460 × 250 × 230	60
	P2Z3C 2.5"	80	85	28				24.00		
	P2Z3C 3.5"	110	115	32	92 × 64	75 × 45	8.5	30		26.50
	P2Z3C 4"	140	132	40				20		19.70
	P2Z3C 5"	165	153					15		17.40

螺杆轴承双制动万向轮

BOLT BEARING DOUBLE BRAKES CASTER



	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	杆 径 Stem diameter (mm)	杆 长 Stem length (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)	
尼龙轮 NYLON WHEEL	L2N3C 2"	55	79	26	10	20	460 × 250 × 230	60	21.70	
	L2N3C 2.5"	70	92	28					23.50	
	L2N3C 3.5"	95	118	32	12	22		30	23.50	
	L2N3C 4"	115	135	40	14			20	18.00	
	L2N3C 5"	140	156		16	25		15	16.40	
橡塑轮 POLUTHENE WHEEL	L2S3C 2"	50	79	26	10	20		460 × 250 × 230	60	21.70
	L2S3C 2.5"	65	92	28						23.50
	L2S3C 3.5"	85	118	32	12	22			30	23.50
	L2S3C 4"	105	135	40	14				20	18.00
	L2S3C 5"	125	156		16	25			15	16.40
聚氯乙烯轮 PVC WHEEL	L2L3C 2"	45	79	26	10	20	460 × 250 × 230		60	21.70
	L2L3C 2.5"	60	92	28						23.50
	L2L3C 3.5"	80	118	32	12	22			30	23.50
	L2L3C 4"	100	135	40	14				20	18.00
	L2L3C 5"	120	156		16	25			15	16.40
聚氨酯轮 POLYURETHANE WHEEL	L2Z3C 2"	60	79	26	10	20		460 × 250 × 230	60	21.70
	L2Z3C 2.5"	75	92	28						23.50
	L2Z3C 3.5"	105	118	32	12	22			30	23.50
	L2Z3C 4"	125	135	40	14				20	18.00
	L2Z3C 5"	155	156		16	25			15	16.40

平板轴套双制动万向轮

PLATE BUSH DOUBLES BRAKES CASTER



	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	平板尺寸 Dimension oftop-plate (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)
尼龙轮 NYLON WHEEL	P2N2B 2"	50	72	26	70 × 58	55 × 42	7	460 × 250 × 230	60	21.20
	P2N2B 2.5"	60	85	28						23.00
	P2N2B 3.5"	80	115	32	92 × 64	75 × 45	8.5		30	25.70
	P2N2B 4"	100	132	40					20	19.20
	P2N2B 5"	120	153						15	17.00
橡塑轮 POLUTHENE WHEEL	P2S2B 2"	45	72	26	70 × 58	55 × 42	7		60	21.20
	P2S2B 2.5"	55	85	28						23.00
	P2S2B 3.5"	70	115	32	92 × 64	75 × 45	8.5		30	25.70
	P2S2B 4"	90	132	40					20	19.20
	P2S2B 5"	110	153						15	17.00
聚氯乙烯轮 PVC WHEEL	P2L2B 2"	40	72	26	70 × 58	55 × 42	7		60	21.20
	P2L2B 2.5"	50	85	28						23.00
	P2L2B 3.5"	70	115	32	92 × 64	75 × 45	8.5		30	25.70
	P2L2B 4"	85	132	40					20	19.20
	P2L2B 5"	100	153						15	17.00
聚氨酯轮 POLYURETHANE WHEEL	P2Z2B 2"	55	72	26	70 × 58	55 × 42	7		60	21.20
	P2Z2B 2.5"	65	85	28						23.00
	P2Z2B 3.5"	90	115	32	92 × 64	75 × 45	8.5		30	25.70
	P2Z2B 4"	110	132	40					20	19.20
	P2Z2B 5"	130	153						15	17.00

螺杆轴套双制动万向轮

BOLT BUSH DOUBLE BRAKES CASTER



	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	杆 径 Stem diameter (mm)	杆 长 Stem length (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 重 GW (kg)	
尼龙轮 NYLON WHEEL	L2N2B 2"	50	79	26	10	20	460 × 250 × 230	60	20.70	
	L2N2B 2.5"	60	92	28					22.50	
	L2N2B 3.5"	80	118	32	12	22		30	22.70	
	L2N2B 4"	100	135	40	14			20	17.50	
	L2N2B 5"	120	156		16	25		15	16.00	
橡塑轮 POLUTHENE WHEEL	L2S2B 2"	45	79	26	10	20		460 × 250 × 230	60	20.70
	L2S2B 2.5"	55	92	28						22.50
	L2S2B 3.5"	70	118	32	12	22			30	22.70
	L2S2B 4"	90	135	40	14				20	17.50
	L2S2B 5"	110	156		16	25			15	16.00
聚氯乙烯轮 PVC WHEEL	L2L2B 2"	40	79	26	10	20	460 × 250 × 230		60	20.70
	L2L2B 2.5"	50	92	28						22.50
	L2L2B 3.5"	70	118	32	12	22			30	22.70
	L2L2B 4"	85	135	40	14				20	17.50
	L2L2B 5"	100	156		16	25			15	16.00
聚氨酯轮 POLYURETHANE WHEEL	L2Z2B 2"	55	79	26	10	20		460 × 250 × 230	60	20.70
	L2Z2B 2.5"	65	92	28						22.50
	L2Z2B 3.5"	90	118	32	12	22			30	22.70
	L2Z2B 4"	110	135	40	14				20	17.50
	L2Z2B 5"	130	156		16	25			15	16.00



重载万向轮 HEAVY LOAD CASTER



	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	平板尺寸 Dimension of top-plate (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 量 GW (kg)
尼龙轮 NYLON WHEEL	PON4C 6"	380	190	52	100 × 114	67 × 92	11	460 × 250 × 230		
	PON4C 8"	450	240	62						
	PON4C 10"	550	300	70	132 × 184	86 × 132	13			
	PON4C 12"	650	350	78						



重载定向轮 HEAVY LOAD DIRECTIONAL WHEEL



	型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	平板尺寸 Dimension of top-plate (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 量 GW (kg)
尼龙轮 NYLON WHEEL	P _d ON4C 6"	500	190	100 × 114	67 × 92	11	460 × 250 × 230		
	P _d ON4C 8"	600	240						
	P _d ON4C 10"	720	300	132 × 184	86 × 132	13			
	P _d ON4C 12"	850	350						

纺织棉条桶专用尼龙万向轮

NYLON CASTER FOR DRUM OF COTTON YARN



型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 量 GW (kg)
ZON1A 2.5"	20	78、80、82	18	圆底板: φ 33/3 孔 方底板: □ 26 梯形板: 88 × 64 × 25 长方板: 22 × 56, 26 × 56	7	460 × 250 × 230	60	25
ZON1A 3.5"	50	105	28				30	23.5

纺织棉条桶专用铸铁万向轮



CAST IRON CASTER FOR DRUM OF COTTON YARN




型 号 Code No (in)	负 载 Load (kg)	总 高 Total height (mm)	偏心距 Offset (mm)	孔 距 Bolthole Spacing (mm)	孔 径 Bolthole diameter (mm)	包装箱尺寸 Dimension of packingcase (mm)	数 量 QTY (个) (PCS)	毛 量 GW (kg)
ZOT1A 2.5"	20	78、80、82	18	圆底板: φ 33/3 孔 方底板: □ 26 梯形板: 88 × 64 × 25 长方板: 22 × 56, 26 × 56	7	460 × 250 × 230	30	22
ZOT1A 3"	50	105	28				30	22

注：各系列特殊规格均可为您设计定制。

NOTE: We can have different series of special specifications designed and made according to your order.





江苏省江阴市璜土万向轮厂

JIANGSU JIANGYIN CITY HUANGTU CASTER FACTORY

厂址：中国江苏省江阴市璜土镇小湖89号

Add: 89 Xiaohu Huagtu Jingyin Jiangsu, China

电话(Tel): 0510-6651617

传真(Fax): 0510-6656653

邮编(P.C.): 214445